



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828, 2720831 Fax:0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 24176216 and Date:-24/01/2024
2. M/s GANGASHEEL AYURVEDIC MEDICAL COLLEGE & HOSPITAL, DR NISHANT GUPTA an occupier or operator of the facility located at MANPURIYA JANKI PRASAD, KAIMUA, BISALPUR ROAD, BAREILLY is hereby granted an authorisation for:

Generation, segregation



Collection



Storage



Transportation

Reception



Use

Recycling



Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s GANGASHEEL AYURVEDIC MEDICAL COLLEGE & HOSPITAL is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 100
 - (ii) Number of health care facilities covered by CBMWTF: 00
 - (iii) Installed treatment and disposal capacity: 00
 - (iv) Area or distance covered by CBMWTF: 00
 - (v) Quantity of Biomedical waste handled, treated or disposed: 25.0 KG/DAY
4. This authorisation shall be in force for a period of Two Years from the date of issue.
- 4.1 The authorization shall be valid for till 31/12/2025

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

ROHIT SINGH
REGIONAL OFFICER

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. HCF Should comply all the provisions made Under Bio-Medical waste (Management and Handling) Rules, 2016 as amended.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The HCF authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personal, equipment or working conditions as mentioned in the application by the person/ HCF authorized shall constitute the breach of this authorization.
5. It is duty of the authorized person/HCF to take prior permission of the prescribed authority to close down the facility.
6. This authorization is issued on the basis of agreement made in between the unit and M/S S.P. GREEN LIGHT ENVIRONMENT WASTE MGMT. L.L.P., VILL.-SAALPUR NAVADIYA, MEERANPUR KATRA, SHAHJAHANPUR who is treating the Bio Medical Waste at In case the agreement is breached/cancelled, the authorization issued to you, will automatically be deemed as cancelled.
7. Chlorinated plastic bags, gloves and blood bags shall be phase out within two years from the date of notification of BMW Rules 2016.
8. Pre-treatment of laboratory waste, microbiology waste, blood bags & blood samples should be done through on site disinfection or sterilization.
9. Ensure treatment and Disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act 1974 (6 of 1974).
10. Biomedical waste generated in your hospital shall be handled without any adverse effect to human health and the environment.
11. Complete details of disposal of Sharps/Medicines must be sent separately.
12. No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours after its Generation. If for any reason, it becomes necessary to store beyond the prescribed period, permission as per provisions of the Bio-Medical Waste Rules must be obtained.
13. The authorized agency must ensure full compliance of prescribed standards for treatment and disposal as mentioned in Rules.
14. This Authorization has been issued on the basis of directions received from Member Secretary, U.P. Pollution Control Board, Lucknow vide letter no.- F. 59439/C-6/Bio-Medical Waste Authorization fees/10. dated 12.01.2010 regarding BMW Authorization fee. Any further order regarding authorization fee from competent authority shall be applicable to authorized H.C.F.
15. Biomedical waste shall be treated and disposed off in accordance with scheduled-I and in compliance with the standards prescribed in scheduled 'II' as prescribed in BMW Rules 2016.
16. Mercury contaminated BMW if generated from spillages etc shall be segregated.
17. Bio-Medical Waste shall not be mixed with other waste. Bio-Medical waste shall be segregated into containers/bags at the point of generation in accordance with schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to schedule -IV part A.
18. The containers transported from the premises where biomedical waste is generated to common waste treatment facility outside the premises shall, apart from the label prescribed in schedule-IV part-A also carry information in schedule IV part-B.
19. The untreated biomedical waste shall be transported only in such vehicle as may be authorized for the purpose, by competent authority as specified in Bio-Medical waste (Management and Handling) Rules, 2016. by the government.
20. No untreated biomedical waste shall be kept stored beyond a period of 48 hours, if it becomes necessary to store beyond 48 hours you must take permission from the prescribed authority and ensure that it does not

adversely affect human health and the environment.

21. Syringe destroyer should be installed, Maintained and operated to stop its reuse.
22. Annual report shall be submitted to the prescribed authority in form IV on or before 30 th June every year, including information about the categories and quantities of biomedical waste handled during January to December in the preceding year.
23. Record related to the generation, collection, reception, storage, transportation, treatment, disposal and or any form of handling of biomedical waste in accordance with these rules 2016 shall be maintained and website shall be developed to display monthly record including annual report. All records shall be subject to inspection and verification by the prescribed authority at any time.
24. This Authorization will be valid from the starting date of validity of authorization of CBWTF.
25. It is within the powers and functions of the U.P Pollution Control Board to modify/revoke the term and conditions of the authorization issued under the Rule 7,8,10 of the Bio-Medical waste (Management and Handling) Rules, 2016.
26. Color Coded and lid covered containers must be used for segregation & collection of bio-medical waste.
27. It is responsibility of HCF to continue agreement for the disposal of BMW with approved CBWTF (Common Bio-Medical Waste Treatment Facility).
28. HCF shall ensure to comply The Order passed by Hon'ble NGT in Original Application No. 72/2020 dated 21.04.2020 and the Revised-2 guide line issued by Central Pollution Control Board for Handling, Treatment and Disposal of Waste Generated during Treatment/Diagnosis/ Quarantine of COVID-19 Patients dated 18/04/2020.
29. HCF should obtain valid land use/ approved map from the Competent Authority, Authorization in only valid with proper land use/Approved from the Competent Authority.
30. IF HCF have failed to Continue Valid agreement for disposal of BMW with Approved Common Bio Medical Waste Treatment Faculty then this authorization will authorization of BMW will become automatically ineffective.
31. The Board reserves the right to withdraw the authorization without notice, if any of the conditions mentioned in authorization is not complied with.
32. The renewal of MOU with the Combined Bio Medical Waste Treatment Facility (CBWTF) shall be submitted before 15 days from date of expiry of the membership.
33. If UPPCB or CPCB issues closure order against the HCF, this authorization shall remain suspended for the period till closure order is revoked, after which the authorization will be effective again for the remaining period.
34. In case of CBWTF i.e. M/S S.P GREEN LIGHT ENVIRONMENT WASTE MGMT. L.L.P., VILL-SAALPUR NAVADIYA, MEERANPUR KATRA, SHAHJAHANPUR is failed to provide disposal services of biomedical waste of your unit. You have to make proper disposal of Biomedical Waste with another CBWTF or make own arrangement for disposal of Biomedical Waste. Otherwise this authorization of BMW will become automatically ineffective.
35. HCF should be compliance all direction issued by Hon'ble court in any petition/application/matter. If complaint is received against the industry regarding pollution, adverse impact on habitation and after verification, if complaint is found true the BMW authorization will be revoked without any prior notice.

Board has reserves its right for amendment or cancellation of any of the conditions specified above at any time, in case HCF is found violating any of the conditions of the authorization time to time. HCF is directed to submit the first compliance report of above mentioned specific and general conditions to the Board within one month.

Memo No.: 24176216

Dated:24/01/2024

Copy To:

Chief Environment Officer, (Circle-7), U.P. Pollution Control Board, Lucknow For Kind Information.

**ROHIT SINGH
REGIONAL OFFICER**



मिशन LIFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |