



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone :2400852, 2400851, Fax:0651- 2400850

<http://www.uppcb.com/>

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 12473420 and Date:-27/08/2021
2. M/s GANGASHEEL AYURVEDIC MEDICAL COLLEGE & HOSPITAL, DR NISHANT GUPTA an occupier or operator of the facility located at Manpuriya Janki Prasad, Kamua, Bisalpur Road, Bareilly is hereby granted an authorisation for:

Generation, segregation



Collection



Storage



Transportation

Reception



Use

Recycling

Packaging



Offering for sale

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s GANGASHEEL AYURVEDIC MEDICAL COLLEGE & HOSPITAL is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 100
 - (ii) Number of health care facilities covered by CBMWTF: 00
 - (iii) Installed treatment and disposal capacity: 00
 - (iv) Area or distance covered by CBMWTF: 00
 - (v) Quantity of Biomedical waste handled, treated or disposed: 22 Kg/Day
4. This authorisation shall be in force for a period of Two Years from the date of issue.
- 4.1 The authorization shall be valid for till 31/12/2022

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Date: 27/08/2021

Place: REGIONAL OFFICE: 1219/1, E-BLOCK,
RAJENDRA NAGAR, BAREILLY-243122

ROHIT SINGH
REGIONAL OFFICER

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. This authorization shall comply with provisions of the Environment (Protection) Act, 1996 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personal, equipment or working conditions as mentioned in the application by the person authorized shall constitute the breach of this authorization.
5. It is duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. This authorization is issued on the basis of agreement made in between the unit and M/S S.P GREEN LIGHT ENVIRONMENT WASTE MGMT. L.L.P., VII.-SAALPUR NAVADIYA, MEERANPUR KATRA, SHAHJAHANPUR (U.P) who is treating the Bio Medical Waste at In case the agreement is breached/cancelled, the authorization issued to you, will automatically be deemed as cancelled.
7. Chlorinated plastic bags, gloves and blood bags shall be phase out within two years from the date of notification of BMW Rules 2016.
8. Pre-treatment of laboratory waste, microbiology waste, blood bags & blood samples should be done through on site disinfection or sterilization.
9. Ensure treatment and Disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act 1974 (6 of 1974).
10. Biomedical waste generated in your hospital shall be handled without any adverse effect to human health and the environment.
11. Biomedical waste shall be treated and disposed off in accordance with scheduled-I and in compliance with the standards prescribed in scheduled 'II' as prescribed in BMW Rules 2016.
12. Mercury contaminated BMW if generated from spillages etc shall be segregated.
13. Bio-Medical Waste shall not be mixed with other waste. Bio-Medical waste shall be segregated into containers/bags at the point of generation in accordance with schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to schedule -IV part A.
14. The containers transported from the premises where biomedical waste is generated to common waste treatment facility outside the premises shall, apart from the label prescribed in schedule-IV part-A also carry information in schedule IV part-B.
15. The untreated biomedical waste shall be transported only in such vehicle as may be authorized for the purpose, by competent authority as specified by the government.
16. No untreated biomedical waste shall be kept stored beyond a period of 48 hours, if it becomes necessary to store beyond 48 hours you must take permission from the prescribed authority and ensure that it does not adversely affect human health and the environment.
17. Syringe destroyer should be installed, Maintained and operated to stop its reuse.
18. Annual report shall be submitted to the prescribed authority in form IV on or before 30 th June every year, including information about the categories and quantities of biomedical waste handled during January to December in the preceding year.
19. Record related to the generation, collection, reception, storage, transportation, treatment, disposal and or any form of handling of biomedical waste in accordance with these rules 2016 shall be maintained and website shall be developed to display monthly record including annual report. All records shall be subject to inspection and verification by the prescribed authority at any time.
20. This Authorization will be valid from the starting date of validity of authorization of CBWTF.
21. It is within the powers and functions of the U.P Pollution Control Board to modify/revoke the term and

conditions of the authorization issued under the Rule 7,8,10 of the Bio-Medical waste (Management and Handling) Rules, 2016.

22. Color Coded and lid covered containers must be used for segregation & collection of bio-medical waste.

23. It is responsibility of HCF to continue agreement for the disposal of BMW with approved CBWTF (Common Bio-Medical Waste Treatment Facility).

24. HCF shall obtain No Objection Certificate from State Ground Water Authority Lucknow /DGWMA, BAREILLY before extraction of ground water.

25. HCF should obtain valid land use from the Competent Authority, Authorization is only valid with proper land use.

26. In case of authorization of CBWTF i.e. M/S S.P GREEN LIGHT ENVIRONMENT WASTE MGMT. L.L.P., VILL.-SAALPUR NAVADIYA, MEERANPUR KATRA, SHAHJAHANPUR is revoked by the board, your authorization will be continued when HCF will obtain valid agreement with other approved CBWTF.

27. In case of CBWTF i.e. M/S S.P GREEN LIGHT ENVIRONMENT WASTE MGMT. L.L.P., VILL.-SAALPUR NAVADIYA, MEERANPUR KATRA, SHAHJAHANPUR is failed to provide disposal services of biomedical waste of your unit. You have to make proper disposal of Biomedical Waste with another CBWTF or make own arrangement for disposal of Biomedical Waste. Otherwise this authorization of BMW will become automatically ineffective.

Memo No.: 12473420

Dated:27/08/2021

Copy To:

**CHIEF ENVIRONMENT OFFICER, (CIRCLE-7), U.P. POLLUTION CONTROL BOARD,
LUCKNOW FOR KIND INFORMATION.**

**ROHIT SINGH
REGIONAL OFFICER**